

Fluke treatments for cattle

Product	Use	£/container	Dose/kg	Dose/ animal	£/dose	£/ml	Meat withdrawl	Time after housing	Active ingredient
Fluke treatments for cattle - dose for 600kg animal									
Closamectin inj	Adult fluke, worms, lice	£181.85/1 litre	1ml/25kg	24ml	£4.32	18p	49d	7-9 weeks	Closantel
Closamectin 4 in 1	Adult fluke, worms, lice	£399/5 litres	1ml/10kg	60ml	£4.79	8p	28d	7-9 weeks	Closantel
Trodax	Mature & immature fluke	£177.86/2x500ml	1.5ml/50kg	18ml	£3.20	18p	60d	7-9 weeks	Nitroxynil
Endofluke	Early immature fluke	£59.67/2.5 litres	6ml/50kg	72ml	£1.72	2.5p	56d	2 weeks	Triclabendazole
Fasinex 10%	Early immature fluke	£148.96/5 litres	6ml/50kg	72ml	£2.15	3p	56d	2 weeks	Triclabendazole

NB
 Prepatent period of fluke is 10-12 weeks
 Entire life cycle takes 17-18 weeks
 Need rain and temp >10 degrees for fluke eggs to hatch and snails to multiply